Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
S1	255	726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/19 18:12
S2	3	authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:15
83	3	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S4	3	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND 726/15. ccls. AND (@pd< "20031210" or @ad< "20031210" or @prad< "20031210" or @rlad< "20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:22
S5	5	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S6	54	packet AND (extensible authentication protocol OR "EAP") AND server AND client AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:27
S7	23	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44

S8	61	packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713". clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S9	57	field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713". clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:44
S10	57	data AND field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713". clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/20 08:45
S11	2694	(713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd< "20031210" or @ad< "20031210" or @prad< "20031210" or @rlad< "20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S12	1462	connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:18
S13	168	establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:19
S14	13	("EAP" extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @rlad<"20031210")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:21

S15	0	Naftali.inv. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33
S16	1	Naftali.inv. AND (713/168.ccls. 726/2,15. ccls. 380/59,270)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:33
S17	1	Naftali.inv. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S18	2	Naftali.inv. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S19	0	Naftali.inv. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S20	2	Naftali.inv. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/13 11:34
S21	0	Naftali.in. AND 726/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29
S24	1	Naftali.in. AND ("726".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:29

\$25	2	Naftali.in. AND ("713".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
S26	0	Naftali.in. AND ("380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
S27	2	Naftali.in. AND ("705".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 14:30
S32	1	Naftali.in. AND (713/168.ccls. 726/2,15. ccls. 380/59,270.ccls.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:36
\$33	6	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
\$34	6	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/168. ccls. 726/2,15.ccls. 380/59,270.ccls.) AND (@pd< "20040409" or (@ad< "20040409" or @rad< "20040409") or @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
\$35	31	("EAP" extensible authentication protocol) AND establish\$4 AND initial AND connection AND authenticat\$3 AND (713/168.ccls. 726/2,15.ccls. 380/59,270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S36	16	("EAP" extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37

S37	6	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S38	17	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409") or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:37
S39	19	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. "380".clas.) AND (@pd< "20040409" or (@ad< "20040409" or @prad< "20040409" or @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
S40	26	authenticat\$3 NEAR ("TCP" transmission control protocol)) AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" or (@ad<"20040409" or @prad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/01 15:38
S41	523	authenticat\$3 AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:12
\$42	6	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. 726/2,15.ccls. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S43	17	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. 380/59,247, 270,273.ccls.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13

			· -			
S44	19	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND (713/162, 163,168.ccls. "726".clas. "380".clas.) AND (@pd< "20040409" or @prad< "20040409" or @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S45	27	authenticat\$3 NEAR ("TCP" transmission control protocol) AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" or @ad<"20040409" or @prad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S46	0	authenticat\$3 phase AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:13
S47	222	phase\$1 AND authenticat\$3 AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:14
S48	23	phase\$1 AND authenticat\$3 phase AND link establish\$3 AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726". clas. "380".clas. "719".clas. "709".clas.) AND (@pd< "20040409" @ad< "20040409" @prad< "20040409" @rlad< "20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:14
S49	0	phase\$1 AND authenticat\$3 phase AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:15
S50	0	phase\$1 AND authenticat\$3 AND link establish\$3 phase AND (establish\$4 initial\$5) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409" @rlad<"20040409")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:15
S51	43	phase\$1 AND authenticat\$3 phase AND (link NEAR (establish\$4 initial\$5)) AND connection AND ("713".clas. "726".clas. "380".clas. "719".clas. "709".clas.) AND (@pd<"20040409" @ad<"20040409" @prad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/30 15:16

S52	24	phase\$1 AND authenticat\$3 phase\$1 AND	US-PGPUB;	A DJ	ON	2009/11/30 15:16	
		(link NEAR (establish\$4 initial\$5)) phase\$1	USPAT;				
		AND connection AND ("713".clas. "726".	USOCR;				
		clas. "380".clas. "719".clas. "709".clas.)	EPO;				
		AND (@pd< "20040409" @ad< "20040409"	DERWENT;				
		@prad<"20040409" @rlad<"20040409")	IBM_TDB				
	S52	S52 24	(link NEAR (establish\$4 initial\$5)) phase\$1 AND connection AND ("713".clas. "726". clas. "380".clas. "719".clas. "709".clas.) AND (@pd< "20040409" @ad< "20040409"	(link NEAR (establish\$4 initial\$5)) phase\$1 USPAT; AND connection AND ("713".clas. "726". USOCR; clas. "380".clas. "719".clas. "709".clas.) EPO; AND (@pd< "20040409" @ad< "20040409" DERWENT;	(link NEAR (establish\$4 initial\$5)) phase\$1 USPAT; AND connection AND ("713".clas. "726". USOCR; clas. "380".clas. "719".clas. "709".clas.) EPO; AND (@pd< "20040409" @ad< "20040409" DERWENT;	(link NEAR (establish\$4 initial\$5)) phase\$1 USPAT; AND connection AND ("713".clas. "726". USOCR; clas. "380".clas. "719".clas. "709".clas.) EPO; AND (@pd< "20040409" @ad< "20040409" DERWENT;	(link NEAR (establish\$4 initial\$5)) phase\$1 USPAT; AND connection AND ("713".clas. "726". USOCR; clas. "380".clas. "719".clas. "709".clas.) EPO; AND (@pd< "20040409" @ad< "20040409" DERWENT;

12/1/2009 2:44:27 PM Page 7